


ME by Starck Washbasin # 234683..00 / 234683..60 / 234683..00 / 234683..60

| < 830 mm > |



Washbasin	Dimension	Weight	Order number
Asymmetrical, Tap hole platform: Yes, Overflow: Yes, Back side glazed: No, 830 mm			
Colors			
00 White Alpin 32 White Satin Matt			
Variant			
● White High Gloss, Rectangular, Number of washing areas: 1 Right, Number of faucet holes per wash area: 1 Middle		21.300 kg	234683..00
⊗ White High Gloss, Rectangular, Number of washing areas: 1 Right		21.300 kg	234683..60
● White Satin Matt, Rectangular, Number of washing areas: 1 Right, Number of faucet holes per wash area: 1 Middle		21.300 kg	234683..00
⊗ White Satin Matt, Rectangular, Number of washing areas: 1 Right		21.300 kg	234683..60
Infobox			
Space-saving siphon is recommended in conjunction with vanity unit / When using a siphon cover with a washbasin with three tap holes, the stop valve of the 3-hole lavatory tap may not exceed a length of max. 75 mm			
Sanitary ceramics with the special WonderGliss surface finish will remain clean and attractive-looking for a long time to come. When ordering WonderGliss please add a "1" as eleventh digit to the model number.			
Accessory			
Space-saving siphon White, Connection dimensions: 1 1/4"	360 x 390 mm	0.372 kg	005076
Push-open waste Suitable for washbasin with overflow, Ø 63,5 mm	Ø 63.5 mm	0.35 kg	005052

ME by Starck Washbasin # 234683..00 / 234683..60 / 234683..00 / 234683..60

|< 830 mm >|

Suitable products		
Vanity unit wall-mounted Number of pull-out compartments: 1, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, Necessary articles: Washbasin ME by Starck # 233683, 234583, 234683, 820 x 481 mm	820 x 481 mm	LC6141
Pedestal Type of mounting: Floorstanding, 175 x 210 mm	175 x 210 mm	085839
Siphon cover White, Type of mounting: Wall-mounted, Incl. mounting material, 170 x 300 mm	170 x 300 mm	085840
Vanity unit wall-mounted Number of pull-out compartments: 1, Handle Silver, Soft self-closing automatic with damping, Lay-in compartment Optional, Necessary articles: Washbasin ME by Starck # 233683, 234583, 234683, 800 x 475 mm	800 x 475 mm	KT6419
Vanity unit wall-mounted Number of drawers: 2, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, Necessary articles: Washbasin ME by Starck # 234683, 820 x 481 mm	820 x 481 mm	LC6292
Vanity unit wall-mounted Number of pull-out compartments: 1, Number of open compartments: 2, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, Necessary articles: Washbasin ME by Starck # 234683, 820 x 481 mm	820 x 481 mm	LC6192
Vanity unit wall-mounted Number of pull-out compartments: 1, Number of open compartments: 2, Handle, Soft self-closing automatic with damping, Lay-in compartment Optional, Necessary articles: Washbasin ME by Starck # 234683, 820 x 479 mm	820 x 479 mm	BR4014
Vanity unit wall-mounted Number of pull-out compartments: 1, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Necessary articles: Washbasin ME by Starck # 233683, 234583, 234683, 810 x 478 mm	810 x 478 mm	XS4072
Vanity unit wall-mounted Number of drawers: 2, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Necessary articles: Washbasin ME by Starck # 234683, 810 x 478 mm	810 x 478 mm	XS4177
Vanity unit floorstanding Number of pull-out compartments: 2, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, Necessary articles: Washbasin ME by Starck # 234683, 810 x 478 mm	810 x 478 mm	XS4452
Vanity unit wall-mounted Number of pull-out compartments: 1, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Matt, Aluminum, Interior system Optional, Necessary articles: Washbasin ME by Starck # 233683, 234583, 234683, 810 x 480 mm	810 x 480 mm	XV4026
Vanity unit wall-mounted Number of drawers: 2, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Matt, Aluminum, Interior system Optional, Necessary articles: Washbasin ME by Starck # 234683, 810 x 480 mm	810 x 480 mm	XV4159

ME by Starck Washbasin # 234683..00 / 234683..60 / 234683..00 / 234683..60

|< 830 mm >|

Vanity unit floorstanding Number of pull-out compartments: 2, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Matt, Aluminum, Interior system Optional, Plinth legs Optional, Necessary articles: Washbasin ME by Starck # 234683, 810 x 480 mm	810 x 480 mm	XV4487
Vanity unit wall-mounted Number of pull-out compartments: 1, Handle, Soft self-closing automatic with damping, Lay-in compartment Optional, Necessary articles: Washbasin ME by Starck # 233683, 234583, 234683, 810 x 462 mm	810 x 462 mm	DE4262
Vanity unit wall-mounted Number of pull-out compartments: 1, Number of drawers: 1, Handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, Necessary articles: Washbasin ME by Starck # 234683, 810 x 462 mm	810 x 462 mm	DE4367
Recommended faucets		
single lever basin mixer M Ceramic cartridge, Height: 175 mm, Spout reach: 113 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 143 x 40 mm	143 x 40 mm	C11020001
single lever basin mixer M Chrome, Ceramic cartridge, Height: 170 mm, Spout reach: 139 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 175 x 50 mm	175 x 50 mm	B11020001
single lever basin mixer M Chrome, Ceramic cartridge, Height: 165 mm, Spout reach: 138,5 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 175 x 42 mm	175 x 42 mm	B21020001
single lever basin mixer L Ceramic cartridge, Height: 262 mm, Spout reach: 136 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 166 x 40 mm	166 x 40 mm	C11030001
single lever basin mixer Ceramic cartridge, Height: 74 mm, Connection type for water supply connection: Basic Set, Spray mode: Normal spray, Aerator adjustable, Including trim parts, recommended operating pressure: 1 - 5 bar, Noise class: I, Unified Water Label (UWL) Class: 1, 173 x 174 mm	173 x 174 mm	C11070003
single lever basin mixer Ceramic cartridge, Height: 74 mm, Connection type for water supply connection: Basic Set, Spray mode: Normal spray, Aerator adjustable, Including trim parts, recommended operating pressure: 1 - 5 bar, Noise class: I, Unified Water Label (UWL) Class: 1, 173 x 225 mm	173 x 225 mm	C11070004

ME by Starck Washbasin # 234683..00 / 234683..60 / 234683..00 / 234683..60

|< 830 mm >|

2 Hole basin mixer electronic M Height: 157 mm, Spout reach: 148 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Temperature limit adjustable, Flow rate (3 bar): 5 l/min, Adjustable water run time, Hygienic flush, Spray mode: Normal spray, Incl. spout, Incl. control unit, Incl. operating unit, Operation type: Controller, without pop-up waste set, Electronic control: power supply, Protection type: IPX4, 198 x 45 mm	D11100008
2 Hole basin mixer electronic M Height: 157 mm, Spout reach: 148 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Temperature limit adjustable, Flow rate (3 bar): 5 l/min, Adjustable water run time, Hygienic flush, Spray mode: Normal spray, Incl. spout, Incl. control unit, Incl. operating unit, Operation type: Controller, without pop-up waste set, Electronic control: power supply, Protection type: IPX4, 198 x 45 mm	D11100007
2 Hole basin mixer M Height: 157 mm, Spout reach: 148 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Flow rate (3 bar): 5 l/min, Spray mode: Normal spray, Operation type: Mechanical, without pop-up waste set, 198 x 45 mm	D11120002
2 Hole basin mixer M Height: 157 mm, Spout reach: 148 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Flow rate (3 bar): 5 l/min, Spray mode: Normal spray, Operation type: Mechanical, without pop-up waste set, 198 x 45 mm	D11120009

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.