


## Qatego Built-in basin # 039848..28 / 039848..28

|< 480 mm >|



Built-in basin	Dimension	Weight	Order number
Washbasin version: Installation, 480x320 mm, Tap hole platform: No, Type of mounting: undercounter, Incl. fixings for installation in wooden consoles			
<b>Colors</b>			
00 White Alpin 20 HygieneGlaze (an antibacterial ceramic glaze that provides almost indefinite effectiveness)			
<b>Variant</b>			
☒ White High Gloss, Overflow: Yes, grounded		9.000 kg	039848..28
☒ White High Gloss, HygieneGlaze, Overflow: Yes, grounded		9.000 kg	039848..28
<b>Accessory</b>			
Push-open waste Suitable for washbasin with overflow, Ø 63,5 mm	Ø 63.5 mm	0.35 kg	005052
Mounting Type of installation: In natural stone console, Suitable for Built-in basin	10 x 40 mm	0.2 kg	005028
Design siphon Brass, Outlet drain: horizontal, Suitable for Washbasin	70 x 425 mm	1.5 kg	005036
<b>Recommended faucets</b>			
single lever basin mixer M Ceramic cartridge, Height: 175 mm, Spout reach: 113 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 143 x 40 mm	143 x 40 mm		C11020001
single lever basin mixer Ceramic cartridge, Height: 74 mm, Connection type for water supply connection: Basic Set, Spray mode: Normal spray, Aerator adjustable, Including trim parts, recommended operating pressure: 1 - 5 bar, Noise class: I, Unified Water Label (UWL) Class: 1, 173 x 174 mm	173 x 174 mm		C11070003
single lever basin mixer M Ceramic cartridge, Height: 175 mm, Spout reach: 113 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 143 x 40 mm	143 x 40 mm		C11020002

## Qatego Built-in basin # 039848..28 / 039848..28

|< 480 mm >|

single lever basin mixer L Ceramic cartridge, Height: 262 mm, Spout reach: 136 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 166 x 40 mm	166 x 40 mm	C11030002
single lever basin mixer XL Ceramic cartridge, Height: 322 mm, Spout reach: 166 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 196 x 40 mm	196 x 40 mm	C11040002
single lever basin mixer Ceramic cartridge, Height: 74 mm, Connection type for water supply connection: Basic Set, Spray mode: Normal spray, Aerator adjustable, Including trim parts, recommended operating pressure: 1 - 5 bar, Noise class: I, Unified Water Label (UWL) Class: 1, 173 x 225 mm	173 x 225 mm	C11070004
single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Unified Water Label (UWL) Class: 1, 50 x 180 mm	50 x 180 mm	TU1021001
single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Unified Water Label (UWL) Class: 1, 50 x 180 mm	50 x 180 mm	TU1021002
single lever basin mixer M Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Unified Water Label (UWL) Class: 1, 50 x 180 mm	50 x 180 mm	TU1020002
single lever basin mixer M Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Unified Water Label (UWL) Class: 1, 50 x 180 mm	50 x 180 mm	TU1020001
single lever basin mixer Ceramic cartridge, Connection type for water supply connection: Basic Set, Spray mode: Normal spray, Aerator, Including trim parts, recommended operating pressure: 1 - 5 bar, Unified Water Label (UWL) Class: 1, 173 x 191 mm	173 x 191 mm	TU1070004
single lever basin mixer M Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 160 mm	52 x 160 mm	CE1020002
single lever basin mixer M Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 160 mm	52 x 160 mm	CE1020001

## Qatego Built-in basin # 039848..28 / 039848..28

|< 480 mm >|

single lever basin mixer L Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, 52 x 204 mm Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 204 mm	CE1030002
single lever basin mixer Ceramic cartridge, Connection type for water supply connection: Basic Set, Spray mode: Normal spray, 167 x 217 mm Aerator with EasyClean, Including trim parts, recommended operating pressure: 1 - 5 bar, 167 x 217 mm	CE1070004
single lever basin mixer M Ceramic cartridge, Height: 171 mm, Spout reach: 122 mm, Connection type for water supply connection: Flexible connecting hoses, Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 166 mm	WA1020001
single lever basin mixer M Ceramic cartridge, Height: 171 mm, Spout reach: 122 mm, Connection type for water supply connection: Flexible connecting hoses, Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 166 mm	WA1020002
single lever basin mixer M Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 48 x 169 mm	MH1020001
single lever basin mixer M Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 48 x 169 mm	MH1020002
single lever basin mixer XL Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, 48 x 220 mm Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 48 x 220 mm	MH1040002
single lever basin mixer Ceramic cartridge, Connection type for water supply connection: Basic Set, Spray mode: Normal spray, 170 x 205 mm Aerator with EasyClean, Including trim parts, recommended operating pressure: 1 - 5 bar, 170 x 205 mm	MH1070004
single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Height: 176 mm, Spout reach: 117 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, 52 x 160 mm Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 160 mm	CE1021001
single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Height: 176 mm, Spout reach: 117 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, 52 x 160 mm Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 160 mm	CE1021002
single lever basin mixer M MinusFlow MinusFlow, Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, 52 x 160 mm Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 160 mm	CE1022001

## Qatego Built-in basin # 039848..28 / 039848..28

|< 480 mm >|

single lever basin mixer M MinusFlow MinusFlow, Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 160 mm	CE1022002
single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Height: 170 mm, Spout reach: 129 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 48 x 169 mm	MH1021001
single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Height: 170 mm, Spout reach: 129 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 48 x 169 mm	MH1021002
single lever basin mixer M MinusFlow MinusFlow, Ceramic cartridge, Height: 170 mm, Spout reach: 129 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 48 x 169 mm	MH1022001
single lever basin mixer M MinusFlow MinusFlow, Ceramic cartridge, Height: 170 mm, Spout reach: 129 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 48 x 169 mm	MH1022002
single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Height: 171 mm, Spout reach: 122 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 166 mm	WA1021001
single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Height: 171 mm, Spout reach: 122 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 166 mm	WA1021002
single lever basin mixer M MinusFlow MinusFlow, Ceramic cartridge, Height: 171 mm, Spout reach: 122 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 166 mm	WA1022001
single lever basin mixer M MinusFlow MinusFlow, Ceramic cartridge, Height: 171 mm, Spout reach: 122 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 166 mm	WA1022002

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.