


Starck 1 Washbowl # 0408330000

|< Ø 330 mm >|



Washbowl	Dimension	Weight	Order number
Conical, Tap hole platform: No, Overflow: Yes, grounded, Incl. overflow clip, 330 mm			
Colors			
00 White Alpin			
Variant			
☒ White High Gloss, Round, Number of washing areas: 1 Middle		4.900 kg	0408330000
Infobox			
The installation of the countertop basin # 040833 is only possible with a special adhesive by appropriate specialist companies. Diameter of cut-out is Ø 115 mm			
Sanitary ceramics with the special WonderGliss surface finish will remain clean and attractive-looking for a long time to come. When ordering WonderGliss please add a "1" as eleventh digit to the model number.			
Accessory			
Push-open waste Suitable for washbasin with overflow, Ø 63,5 mm	Ø 63.5 mm	0.35 kg	005052
Design siphon Brass, Outlet drain: horizontal, Suitable for Washbasin	70 x 425 mm	1.5 kg	005036
Suitable products			
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Soft self-closing automatic with damping, 800 x 550 mm		800 x 550 mm	KT6694

Starck 1 Washbowl # 0408330000

| < Ø 330 mm > |

Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Soft self-closing automatic with damping, 1000 x 550 mm	1000 x 550 mm	KT6695
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Soft self-closing automatic with damping, 1200 x 550 mm	1200 x 550 mm	KT6696
Console vanity unit wall-mounted Number of pull-out compartments: 2, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Soft self-closing automatic with damping, 1400 x 550 mm	1400 x 550 mm	KT6697 B/L/R
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, 800 x 550 mm	800 x 550 mm	KT6654
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, 1000 x 550 mm	1000 x 550 mm	KT6655
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, 1200 x 550 mm	1200 x 550 mm	KT6656
Console vanity unit wall-mounted Number of drawers: 4, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, 1400 x 550 mm	1400 x 550 mm	KT6657 B/L/R
Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 600 x 478 mm	600 x 478 mm	DS5300
Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 700 x 478 mm	700 x 478 mm	DS5301
Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 478 mm	800 x 478 mm	DS5302
Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 900 x 478 mm	900 x 478 mm	DS5303
Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 1000 x 478 mm	1000 x 478 mm	DS5304
Console vanity unit wall-mounted Compact, Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 600 x 478 mm	600 x 478 mm	DS5305

Starck 1 Washbowl # 0408330000

| < Ø 330 mm > |

Console vanity unit wall-mounted Compact, Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 700 x 478 mm	700 x 478 mm	DS5306
Console vanity unit wall-mounted Compact, Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 478 mm	800 x 478 mm	DS5307
Console vanity unit wall-mounted Compact, Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 900 x 478 mm	900 x 478 mm	DS5308
Console vanity unit wall-mounted Compact, Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 1000 x 478 mm	1000 x 478 mm	DS5309
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 600 x 548 mm	600 x 548 mm	DS5310
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 700 x 548 mm	700 x 548 mm	DS5311
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 548 mm	800 x 548 mm	DS5312
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 900 x 548 mm	900 x 548 mm	DS5313
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 1000 x 548 mm	1000 x 548 mm	DS5314
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 600 x 548 mm	600 x 548 mm	DS5315
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 700 x 548 mm	700 x 548 mm	DS5316
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 548 mm	800 x 548 mm	DS5317
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 900 x 548 mm	900 x 548 mm	DS5318

Starck 1 Washbowl # 0408330000

| < Ø 330 mm > |

Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 1000 x 548 mm	1000 x 548 mm	DS5319
Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 620 x 477 mm	620 x 477 mm	LC5800
Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 720 x 477 mm	720 x 477 mm	LC5801
Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 820 x 477 mm	820 x 477 mm	LC5802
Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 920 x 477 mm	920 x 477 mm	LC5803
Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 1020 x 477 mm	1020 x 477 mm	LC5804
Console vanity unit wall-mounted Compact, Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 620 x 477 mm	620 x 477 mm	LC5805
Console vanity unit wall-mounted Compact, Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 720 x 477 mm	720 x 477 mm	LC5806
Console vanity unit wall-mounted Compact, Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 820 x 477 mm	820 x 477 mm	LC5807
Console vanity unit wall-mounted Compact, Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 920 x 477 mm	920 x 477 mm	LC5808
Console vanity unit wall-mounted Compact, Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 1020 x 477 mm	1020 x 477 mm	LC5809
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 620 x 547 mm	620 x 547 mm	LC5810
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 720 x 547 mm	720 x 547 mm	LC5811

Starck 1 Washbowl # 0408330000

| < Ø 330 mm > |

Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 820 x 547 mm	820 x 547 mm	LC5812
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 920 x 547 mm	920 x 547 mm	LC5813
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 1020 x 547 mm	1020 x 547 mm	LC5814
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 620 x 547 mm	620 x 547 mm	LC5815
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 720 x 547 mm	720 x 547 mm	LC5816
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 820 x 547 mm	820 x 547 mm	LC5817
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 920 x 547 mm	920 x 547 mm	LC5818
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 1020 x 547 mm	1020 x 547 mm	LC5819
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 800 x 548 mm	800 x 548 mm	XS4900
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1000 x 548 mm	1000 x 548 mm	XS4901
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1200 x 548 mm	1200 x 548 mm	XS4902
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 800 x 548 mm	800 x 548 mm	XS4910
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1000 x 548 mm	1000 x 548 mm	XS4911

Starck 1 Washbowl # 0408330000

| < Ø 330 mm > |

Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1200 x 548 mm	1200 x 548 mm	XS4912
Console vanity unit floorstanding Number of pull-out compartments: 2, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 800 x 548 mm	800 x 548 mm	XS4920
Console vanity unit floorstanding Number of pull-out compartments: 2, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1000 x 548 mm	1000 x 548 mm	XS4921
Console vanity unit floorstanding Number of pull-out compartments: 2, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1200 x 548 mm	1200 x 548 mm	XS4922
Console vanity unit wall-mounted Number of pull-out compartments: 2, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1400 x 548 mm	1400 x 548 mm	XS4903 L/R
Console vanity unit wall-mounted Number of pull-out compartments: 2, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1600 x 548 mm	1600 x 548 mm	XS4904 L/R
Console vanity unit wall-mounted Number of drawers: 4, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1400 x 548 mm	1400 x 548 mm	XS4913 L/R
Console vanity unit wall-mounted Number of drawers: 4, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1600 x 548 mm	1600 x 548 mm	XS4914 L/R
Console vanity unit floorstanding Number of pull-out compartments: 4, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1400 x 548 mm	1400 x 548 mm	XS4923 L/R
Console vanity unit floorstanding Number of pull-out compartments: 4, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1600 x 548 mm	1600 x 548 mm	XS4924 L/R
Console vanity unit wall-mounted Number of pull-out compartments: 2, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1400 x 548 mm	1400 x 548 mm	XS4906 B

Starck 1 Washbowl # 0408330000

|< Ø 330 mm >|

Console vanity unit wall-mounted Number of pull-out compartments: 2, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1600 x 548 mm	1600 x 548 mm	XS4907 B
Console vanity unit wall-mounted Number of drawers: 4, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1400 x 548 mm	1400 x 548 mm	XS4916 B
Console vanity unit wall-mounted Number of drawers: 4, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1600 x 548 mm	1600 x 548 mm	XS4917 B
Console vanity unit floorstanding Number of pull-out compartments: 4, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1400 x 548 mm	1400 x 548 mm	XS4926 B
Console vanity unit floorstanding Number of pull-out compartments: 4, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1600 x 548 mm	1600 x 548 mm	XS4927 B
Console Number of cut-outs: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm	DS102C
Console Number of cut-outs: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm	DS103C
Console Number of cut-outs: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm	DS106C
Console Number of cut-outs: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm	DS107C
Console Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm	LC102C
Console Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm	LC103C
Console Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm	LC106C
Console Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm	LC107C
Console Compact, Number of cut-outs: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm	800 x 480 mm	DS100C
Console Compact, Number of cut-outs: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm	800 x 480 mm	DS101C
Console Compact, Number of cut-outs: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm	800 x 480 mm	DS104C

Starck 1 Washbowl # 0408330000

| < Ø 330 mm > |

Console Compact, Number of cut-outs: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm	800 x 480 mm	DS105C
Console Compact, Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm	800 x 480 mm	LC100C
Console Compact, Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm	800 x 480 mm	LC101C
Console Compact, Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm	800 x 480 mm	LC104C
Console Compact, Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm	800 x 480 mm	LC105C
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possible, Handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 550 mm	800 x 550 mm	DE4947
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possible, Handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 1000 x 550 mm	1000 x 550 mm	DE4948
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possible, Handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 1200 x 550 mm	1200 x 550 mm	DE4949
Console vanity unit wall-mounted Number of pull-out compartments: 2, Number of open compartments: 2, Incl. console: Yes, Tap hole drillings possible, Handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 1400 x 550 mm	1400 x 550 mm	DE4950 B/L/R
Console vanity unit wall-mounted Number of pull-out compartments: 1, Number of drawers: 1, Incl. console: Yes, Tap hole drillings possible, Handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 550 mm	800 x 550 mm	DE4967
Console vanity unit wall-mounted Number of pull-out compartments: 1, Number of drawers: 1, Incl. console: Yes, Tap hole drillings possible, Handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 1000 x 550 mm	1000 x 550 mm	DE4968
Console vanity unit wall-mounted Number of pull-out compartments: 1, Number of drawers: 1, Incl. console: Yes, Tap hole drillings possible, Handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 1200 x 550 mm	1200 x 550 mm	DE4969
Console vanity unit wall-mounted Number of pull-out compartments: 2, Number of drawers: 2, Number of open compartments: 2, Incl. console: Yes, Tap hole drillings possible, Handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 1400 x 550 mm	1400 x 550 mm	DE4970 B/L/R
Console vanity unit wall-mounted Compact, Number of open compartments: 1, Incl. console: Yes, Tap hole drillings possible, Without handle, 800 x 480 mm	800 x 480 mm	DE4918

Starck 1 Washbowl # 0408330000

| < Ø 330 mm > |

Console vanity unit wall-mounted Number of open compartments: 1, Incl. console: Yes, Tap hole drillings possible, Without handle, 800 x 550 mm	800 x 550 mm	DE4928
Console vanity unit wall-mounted Number of open compartments: 1, Incl. console: Yes, Tap hole drillings possible, Without handle, 1000 x 550 mm	1000 x 550 mm	DE4929
Console vanity unit wall-mounted Compact, Number of open compartments: 1, Incl. console: Yes, Tap hole drillings possible, Without handle, 1000 x 480 mm	1000 x 480 mm	DE4919
Console vanity unit wall-mounted Compact, Number of open compartments: 1, Incl. console: Yes, Tap hole drillings possible, Without handle, 800 x 480 mm	800 x 480 mm	DE4938
Console vanity unit wall-mounted Compact, Number of open compartments: 1, Incl. console: Yes, Tap hole drillings possible, Without handle, 1000 x 480 mm	1000 x 480 mm	DE4939
Console vanity unit wall-mounted Number of open compartments: 1, Incl. console: Yes, Tap hole drillings possible, Without handle, 800 x 550 mm	800 x 550 mm	DE4958
Console vanity unit wall-mounted Number of open compartments: 1, Incl. console: Yes, Tap hole drillings possible, Without handle, 1000 x 550 mm	1000 x 550 mm	DE4959
Recommended faucets		
single lever basin mixer XL Ceramic cartridge, Height: 322 mm, Spout reach: 166 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 196 x 40 mm	196 x 40 mm	C11040001
single lever basin mixer Ceramic cartridge, Height: 74 mm, Connection type for water supply connection: Basic Set, Spray mode: Normal spray, Aerator adjustable, Including trim parts, recommended operating pressure: 1 - 5 bar, Noise class: I, Unified Water Label (UWL) Class: 1, 173 x 174 mm	173 x 174 mm	C11070003
single lever basin mixer Ceramic cartridge, Height: 74 mm, Connection type for water supply connection: Basic Set, Spray mode: Normal spray, Aerator adjustable, Including trim parts, recommended operating pressure: 1 - 5 bar, Noise class: I, Unified Water Label (UWL) Class: 1, 173 x 225 mm	173 x 225 mm	C11070004
2 Hole basin mixer electronic XL Height: 253 mm, Spout reach: 180 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Temperature limit adjustable, Flow rate (3 bar): 5 l/min, Adjustable water run time, Hygienic flush, Spray mode: Normal spray, Incl. spout, Incl. control unit, Incl. operating unit, Operation type: Controller, without pop-up waste set, Electronic control: power supply, Protection type: IPX4, 230 x 45 mm	230 x 45 mm	D11110008

Starck 1 Washbowl # 0408330000

| < Ø 330 mm > |

2 Hole basin mixer electronic XL Height: 253 mm, Spout reach: 180 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Temperature limit adjustable, Flow rate (3 bar): 5 l/min, Adjustable water run time, Hygienic flush, Spray mode: Normal spray, Incl. spout, Incl. control unit, Incl. operating unit, Operation type: Controller, without pop-up waste set, Electronic control: power supply, Protection type: IPX4, 230 x 45 mm	230 x 45 mm	D11110007
2 Hole basin mixer XL Height: 253 mm, Spout reach: 180 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Flow rate (3 bar): 5 l/min, Spray mode: Normal spray, Operation type: Mechanical, without pop-up waste set, 230 x 45 mm	230 x 45 mm	D11130002
2 Hole basin mixer XL Height: 253 mm, Spout reach: 180 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Flow rate (3 bar): 5 l/min, Spray mode: Normal spray, Operation type: Mechanical, without pop-up waste set, 230 x 45 mm	230 x 45 mm	D11130009

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.